

SAFETY DATA SHEET

Section 1 – Identification Product Identifier: PowerKote CBC-1	Part Number: CBC-1
Recommended Use: Combustion Chamber Thermal	Restrictions on Use:
Barrier Coating	
Manufacturer / Supplier:	Keep out of reach of children.
Tech Line Coatings, Inc	Avoid contact with skin and eyes.
26844 ADAMS AVE.	Avoid breathing vapors or mist.
MURRIETA, CA 92562	3 1
USA	
Phone/Fax 1-865-773-0599	Emergency Phone: N.America +1-800-535-5053
	Intl. +1-352-323-3500
www.techlinecoatings.com	

Section 2 – Hazards Ider Classification:	ntification
Signal Word:	Warning
Symbols:	Precautionary Statements:



May cause an allergic skin reaction May cause respiratory irritation

Spills are slippery. Reacts with acids, ammonium salts, reactive metals and some organics.

ection 3 – Composition / Information On Ingredients		
Component	CAS#	% of Weight
Silic Acid	1312-76-1	20 to 90%
Chromium (in filler #2)	7440-47-3	< 0.1%
Nickel (in filler #2)	7440-47-0	< 0.1%
Components not listed above are non-		
hazardous.		

Section 4 – First Aid Measures

After EYE Contact:

• Immediately irrigate with plenty of water for 15 minutes. Obtain medical attention if irritation persists.

After SKIN Contact:

• Remove contaminated clothing without delay. Flush skin thoroughly with water. Do not reuse clothing without laundering.

After INHALATION:

• Administer oxygen if there is difficulty in breathing. Obtain medical attention immediately if necessary.

After SWALLOWING:

• Call a physician immediately, ONLY induce vomiting at the instructions of a physician. Never give anything by mouth to an unconscious person.

Section 5 – Fire Fighting Measures

Flammable Limits LEL-: N/A	Flammable Limits UEL-: N/A	Stability: See Section
s material is compatible with		s: use full protective
on Hazards: None	apparatus.	
	material is compatible with	s material is compatible with equipment, including self contapparatus.

<u>Section 6 – Accidental Release Measures</u> Methods for Containment and Clean Up

- Soak up with inert absorbent material.
- Keep in suitable, marked and closed containers for disposal.
- Warn other workers of spill.
- Wear protective equipment
 - NIOSH Approved Respirator
 - Gloves
 - Safety Glasses
- Do not allow material to be released into the environment.

Additional Information:

- See Section 7 for safe handling information.
- See Section 8 for PPE information
- See Section 13 for disposal information

Section 7

Handling And Storage

Handling:

Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed. Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills.

Storage:

Keep containers closed. Store in clean steel or plastic containers. Separate from acids, reactive metals, and ammonium salts. Storage temperature 10-50° C. Do not store in aluminum, fiberglass, copper, brass, zinc or galvanized containers.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Component	ACGIH TLV	OSHA PEL	
Chromium (in filler #2)	0.5 mg/m3	0.1 mg/m3	
Nickel (in filler #2)	1 mg.m3	1 mg.m3	

Engineering Controls:	Showers
	Eyewash stations
Respiratory Protection:	Use a NIOSH-approved dust and mist respirator where spray mist occurs. Observe
OSHA regulations for respirator	use (29 C.F.R.§1910.134)
Protective Gloves:	CHEMICAL RESISTANT
Eye Protection:	SAFETY GLASSES WITH SIDE SHIELDS OR GOGGLES
Other Protective Equipment:	WEAR PROTECTIVE CLOTHING, CHEMICAL RESISTANT OR OTHER PROTECTIVE
OUTERWEAR, AVOID CONTACT	WITH SKIN OR EYES
Ventilation:	Recommended
Work / Hygienic Practices:	wash thoroughly after handling product and before eating, drinking or smoking

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form :	Liquid
Color :	Tan
Odor :	Odorless
Melting point/range :	N/E
Initial boiling point :	N/E
Flash point :	Not Flammable

pH :Not EstablishedVapor Density (Air = 1):> 1Vapor pressure :N/ESpecific Gravity:1.3Water solubility :AppreciableViscosity:N/ETotal VOC:0

SECTION 10 STABILITY AND REACTIVITY Stability:

STABLE

Incompatibility (Materials to Avoid): Gels and generates heat when mixed with acid. May react with ammonium salts resulting in evolution of ammonia gas. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead, and zinc.

Hazardous Decomposition Products:	Hydrogen, and other toxic and/or hazardous gases.
-----------------------------------	---

Hazardous Polymerization: WILL NOT OCCUR

Conditions to Avoid:

SECTION 11

TOXICOLOGICAL INFORMATION		
Effects on Eyes:	mild irritation to the eyes	
Effects on Skin:	slightly irritating to the skir	

Littects on Skin:slightly irritating to the skinEffects from Inhalation:May cause respiratory irritationEffects from Swallowing:digestive tract irritation

SECTION 12

ECOLOGICAL INFORMATION

General Comments: Do not allow material to be released into the environment without proper governmental permits

SECTION 13

DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Disposal should be made in accordance with federal, state and local regulations. Recovered non-usable material is a RCRA hazardous waste. Treatment, storage, transportation and disposal must be in accordance with EPA and State regulation under the authority of the Resource Conservation and Recovery Act (RCRA) 40 CFR parts 260-271 A competent and properly permitted contractor should do appropriate disposal.

SECTION 14
TRANSPORTATION INFORMATION
Hazardous for Shipping: No
SECTION 15
REGULATIONS
Information about Limitation or Use:
Other Regulations, Limitations, and Prohibitive Regulations:
ISCA (Toxic Substances Control Act) Regulations, 40 CFR 710: All ingredients are on the TSCA Chemical Substance
Inventory.
SECTION 16
OTHER INFORMATION
Date Prepared: 11/19/2012
Update: 5/7/2105
Update: 1/25/2017
THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, REPRESENTATION, INDUCEMENT OR LICENSE OF ANY KIND,
EXCEPT THAT IT IS ACCURATE TO THE BEST OF TECH LINE COATINGS, INC., KNOWLEDGE OR OBTAINED FROM SOURCES
BELIEVED BY TECH LINE COATINGS, INC. TO BE ACCURATE, AND TECH LINE COATINGS, INC., DOES NOT ASSUME ANY
LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME. BEFORE USING ANY CHEMICAL, READ ITS LABEL,
INSTRUCTIONS AND SAFETY DATA SHEET.