

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name	Carrera Carbon Silver
Trade Name	Carrera Carbon Silver
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Coating
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet**Manufacturer**

Company Identification	Tech Line Coatings Ind Inc
Address of Manufacturer	PO Box 668, 10840 Chapman Hwy
	Seymour, Tn
Telephone:	37865
Fax	865-773-0599
E-mail	865-773-0599
Office hours	sales@techlinecoatings.com
	8AM - 8PM

Supplier

Company Identification	Tech Line Coatings Ind Inc
Address of Supplier	109 Ford Hill Ln/PO Box 668
	Seymour, TN
	37865
Telephone:	865-773-0599
Fax	865-773-0599
E-mail	sales@techlinecoatings.com
Office hours	

1.4 Emergency telephone number

Emergency Phone No.	N. America +1-800-535-5053
	Intl. +1-352-323-3500
Contact	No information available.

2. SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Acute Tox. 4 : Harmful if swallowed.
 Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects.
 Flam. Liq. 2 : Highly flammable liquid and vapour.
 Skin Corr. 1B : Causes severe skin burns and eye damage.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)
 Product Name Carrera Carbon Silver

Hazard Pictogram(s)



GHS02

GHS05

GHS07

Signal Word(s)

Danger

Hazard Statement(s)

H225: Highly flammable liquid and vapour.
 H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.
 H412: Harmful to aquatic life with long lasting effects.
 EUH208: Contains: (parachlorobenzotrifluoride) May produce an allergic reaction.
 EUH071: Corrosive to the respiratory tract.
 EUH210: Safety data sheet available on request.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)

parachlorobenzotrifluoride	98-56-6		40	Flam. Liq. 3 H226 Skin Sens. 1B H317 Aquatic Chronic 2 H411	GHS02 GHS07 GHS09
non hazardous			30	Not classified.	
ethyl acetate	141-78-6		15	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
organic polysilazane compound	475645-84-		15	Skin Corr. 1B H314	GHS05

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Immediately call a POISON CENTER/doctor.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Immediately call a POISON CENTER/doctor. Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	Water jet spray

5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Store in a well-ventilated place. Keep cool. Store locked up.
Storage life	Ambient.
Incompatible materials	Stable under normal conditions.
	None known.

7.3 Specific end use(s)

Coating

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)		LTEL (3hr TWA ppm)	STEL (mg/m ³)	Note
Ethyl acetate	141-78-6	200		400		

Remark Footnote

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards

None known.

8.2.3. Environmental Exposure Controls

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid. Colour : Silver
Odour	Smells of solvent.
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not established
Initial boiling point and boiling range	Not established
Flash Point	(Flash point 11 - 22°C).
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	(Air = 1) >1
Density (g/ml)	Not known.
Relative density	> 1 (Air = 1)
Solubility(ies)	Solubility (Water) : Poorly water soluble product. Solubility (Other) : Solubility (Water)
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.
Oxidising properties	Incompatible with oxidizing substances.

9.2 Other information

VOC Content (California)	VOC Content (California) < 1.7 lbs per gallon based on formulation
Specific Gravity	1.3

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	None anticipated.
10.2 Chemical Stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	Avoid friction, sparks, or other means of ignition.
10.5 Incompatible materials	Not known.
10.6 Hazardous decomposition products	No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute toxicity - Ingestion	Self classification: Harmful if swallowed. Ingestion may cause irritation of the gastrointestinal tract.
Acute toxicity - Skin Contact	Self classification: Avoid skin contact.
Acute toxicity - Inhalation	Low acute toxicity
Skin corrosion/irritation	Self classification: Causes severe skin burns and eye damage.
Serious eye damage/irritation	Non-irritant
Skin sensitization data	Not classified
Respiratory sensitization data	Not classified
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	Not classified
Lactation	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified

11.2 Other information

Not known.

12. SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2. Persistence and Degradation

Not known.

12.3. Bioaccumulative potential

Not known.

12.4. Mobility in soil

Not known.

12.5. Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

Not known.

13. SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 3469

14.2 UN proper shipping name

UN proper shipping name PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning and reducing compound)

14.3 Transport hazard class(es)

ADR/RID Class 3
 IMDG Class 3
 IMDG EMS Not available

ICAO/IATA

Excepted Quantities E2
 Passenger and Cargo Aircraft Limited Quantities Packing Instructions Y340
 Passenger and Cargo Aircraft Limited Quantities Max net Qty 0.5L
 Passenger and Cargo Aircraft Packing Instructions 352
 Passenger and Cargo Aircraft Max net Qty 1L
 Cargo Aircraft Packing Instructions 363
 Cargo Aircraft Max net Qty 5L
 Special Provisions A72
 Emergency Response Guidebook (ERG) Code 3CH
 ADR Classification Code FC
 ADR HIN 338
 ADR Transport Category 2
 Tunnel Restriction Code D/E
 Emergency Action Code Not applicable
 APP Advice on Additional Personal Protection (APP) Not applicable

14.4 Packing group

Packing group II
 Labels 3 +8



Special Provisions	163
Limited Quantities	1 L
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P001 IBC02
Special Packing Provisions for Packages	Not applicable
Mixed Packing Instructions for Packages	MP19

14.5 Environmental hazards

Environmental hazards Not known.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Packing Instructions for Portable T7 Tanks

Special Provisions for Portable Tanks	TP2 TP8 TP28
Tank Code for Tanks	L4BH
Special Provisions for Tanks	Not applicable
Vehicle for Tank Carriage	FL
Special Provisions for Carriage - Packages	Not applicable
Special Provisions for Carriage - Bulk	Not applicable
Special Provisions for Carriage - Loading, Unloading and Handling	Not applicable
Special Provisions for Carriage - Operation	S2 S20

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not listed

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 2037/2000 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment


A REACH chemical safety assessment has not been carried out.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



Hazard Statement(s)

H225: Highly flammable liquid and vapour.
 H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.
 H412: Harmful to aquatic life with long lasting effects.
 EUH071: Corrosive to the respiratory tract.
 EUH210: Safety data sheet available on request.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233: Keep container tightly closed.
 P240: Ground/bond container and receiving equipment.
 P241: Use explosion-proof electrical/ventilating/lighting/equipment.
 P242: Use only non-sparking tools.
 P243: Take precautionary measures against static discharge.
 P260: Do not breathe dust/fume/gas/mist/vapours/spray.
 P264: Wash hands and exposed skin thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P321: Specific treatment (see Medical Advice on this label).

P330: Rinse mouth.

P363: Wash contaminated clothing before reuse.

P370+P378: In case of fire: Use water to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tech Line Coatings Inc gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tech Line Coatings Inc accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.