

## **SAFETY DATA SHEET**

Section 1 – Identification Product

Identifier: TechTrex 76000 Part Number: 76000

**Recommended Use:** Dry Film Lubricant Coating Restrictions on Use:

Manufacturer / Supplier:Keep out of reach of children.Tech Line Coatings, IncAvoid contact with skin and eyes.26844 ADAMS AVE.Avoid breathing vapors or mist.MURRIETA, CA 92562

USA Emergency # N. America +1-800-535-5053 Intl. +1-352-323-3500 Phone/Fax 865-773-0599

www.techlinecoatings.com
Section 2 – Hazards Identification

**Classification:** 

**Signal Word:** Warning

Symbols: Precautionary Statements:



Skin irritation
May cause eye irritation
Specific target organ toxicity

# Section 3 - Composition / Information On Ingredients

Component	CAS#	% of Weight		
Sodium dioctyl sulfosuccinate in 64-17-5 mixture of <3%				
ethanol and water sodium nitrite	632-00-0	< 3%		
Benzotriazol 95-14-7 The balance of the mixture is non hazardous		<3%		

## Section 4 – First Aid Measures

#### After EYE Contact:

Immediately irrigate with plenty of water for 15 minutes. Obtain medical attention if irritation persists.

### **After SKIN Contact:**

Remove contaminated clothing without delay. Flush skin thoroughly with water. Do not reuse clothing without laundering.

#### After INHALATION:

·Administer oxygen if there is difficulty in breathing. Obtain medical attention immediately if necessary.

## After SWALLOWING:

·Call a physician immediately, ONLY induce vomiting at the instructions of a physician. Never give anything by mouth to an unconscious person.

### Section 5 – Fire Fighting Measures

Flash Point: Not	Flammable Limits LEL-: N/A	Flammable Limits UEL-: N/A	<b>Stability:</b> See Section 10
Flammable			

<b>Extinguishing Media:</b> This material is compatible with all extinguishing media.	Special fire fighting procedures: use full protective equipment, including self contained breathing
	apparatus.
Unusual Fire And Explosion Hazards: None	Specific Hazards Arising from the Chemical:

### Section 6 - Accidental Release Measures

#### Methods for Containment and Clean Up ·Soak

up with inert absorbent material.

- •Keep in suitable, marked and closed containers for disposal.
- ·Warn other workers of spill.
- Wear protective equipment
  - NIOSH Approved Respirator
  - Gloves
  - Safety Glasses
- •Do not allow material to be released into the environment.

#### Additional Information:

- See Section 7 for safe handling information.
- See Section 8 for PPE information
- See Section 13 for disposal information

#### Section 7

### **Handling And Storage**

#### Handling:

Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Keep container closed. Promptly clean residue from closures with cloth dampened with water. Promptly clean up spills.

### Storage:

Keep containers closed. Store in clean steel or plastic containers. Separate from acids, reactive metals, and ammonium salts. Storage temperature 10-50° C. Do not store in aluminum, fiberglass, copper, brass, zinc or galvanized containers.

### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Engineering Controls:** Showers

Eyewash stations

**Respiratory Protection:** Use a NIOSH-approved dust and mist respirator where spray mist occurs. Observe

OSHA regulations for respirator use (29 C.F.R.§1910.134) **Protective Gloves**: CHEMICAL RESISTANT

**Eye Protection:** SAFETY GLASSES WITH SIDE SHIELDS OR GOGGLES

Other Protective Equipment: WEAR PROTECTIVE CLOTHING, CHEMICAL RESISTANT OR OTHER PROTECTIVE

OUTERWEAR, AVOID CONTACT WITH SKIN OR EYES

Ventilation: Recommended Work / Hygienic Practices: wash thoroughly after handling product and

before eating, drinking or smoking

#### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid
Color: Gray
Odor: Odorless
Melting point/range: N/E
Initial boiling point: N/E

Flash point: Not Flammable pH: Not Established

Vapor Density (Air = 1): > 1 Vapor pressure: N/E Specific Gravity: 1.4

Water solubility: Appreciable

Viscosity: N/E Total VOC: 0

#### **SECTION 10**

### STABILITY AND REACTIVITY

Stability: STABLE Incompatibility (Materials to Avoid): Unknown

Hazardous Decomposition Products: Unknown

Hazardous Polymerization: Unknown

Conditions to Avoid: Unknown

### **SECTION 11**

## **TOXICOLOGICAL INFORMATION**

Effects on Eyes: mild irritation to the eyes
Effects on Skin: slightly irritating to the skin
Effects from Inhalation: May cause respiratory irritation
Effects from Swallowing: digestive tract irritation

## **SECTION 12**

#### **ECOLOGICAL INFORMATION**

General Comments: Do not allow material to be released into the environment without proper governmental permits

## **SECTION 13 DISPOSAL CONSIDERATIONS**

### **Waste Disposal Method:**

Disposal should be made in accordance with federal, state and local regulations. Treatment, storage, transportation and disposal must be in accordance with EPA and State regulation under the authority of the Resource Conservation and Recovery Act (RCRA) 40 CFR parts 260-271. A competent and properly permitted contractor should do appropriate disposal.

#### **SECTION 14 TRANSPORTATION INFORMATION**

Hazardous for Shipping: No

DOT Shipping Name: DOT Hazard Class: DOT Labels: UN Number:

Placards:

**Packing Group:** 

Air (IATA):

### **SECTION 15 REGULATIONS**

Information about Limitation or Use:

Other Regulations, Limitations, and Prohibitive Regulations:

**TSCA (Toxic Substances Control Act) Regulations, 40 CFR 710:** All ingredients are on the TSCA Chemical Substance Inventory.

## **SECTION 16**

# OTHER INFORMATION

Date Prepared: 08/24/2015 Date

Updated: 01/2/2018

THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, REPRESENTATION, INDUCEMENT OR LICENSE OF ANY KIND, EXCEPT THAT IT IS ACCURATE TO THE BEST OF TECH LINE COATINGS, INC., KNOWLEDGE OR OBTAINED FROM SOURCES BELIEVED BY TECH LINE COATINGS, INC. TO BE ACCURATE, AND TECH LINE COATINGS, INC., DOES NOT ASSUME ANY LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME. BEFORE USING ANY CHEMICAL, READ ITS LABEL, INSTRUCTIONS AND SAFETY DATA SHEET.